

Super Bultex Grade	Colour	Nett Density (kg/m ³) (1)	Hardness ILD 40% (N) (2)	Tensile (kPa min) (3)	Elongation (%min) (3)	Comp set (% max) (4)	Humid set (% max) (5)	Fatigue Class (6)
SB33080	Pink	31 - 33	68 - 92	50	90	12	50	S
SB40170	Blue	38 - 42	144 - 195	50	90	8	30	V
SB42130	Grey	40 - 44	110 - 149	50	90	8	30	V
SB50210	White	48 - 52	178 - 241	50	90	8	30	V
SB54120	Blue	52 - 56	102 - 138	50	90	8	30	V
SB65290	White	63 - 67	246 - 333	50	90	8	15	X

The above foam meets the requirements of the Furniture & Furnishings (Fire) (Safety) Regulations 1988, Amended 1989, 1993, 2010 and BS 5852-2 1982.

Foams are physically tested to the procedures described in:

- (1) EN ISO 845: 2009 (2) EN ISO 2439: 2008 (3) EN ISO 1798: 2008
(4) EN ISO 1856: 2018 (5) ISO 13362:2000 (6) EN ISO 3385:2014 & BS 3379:2005 +A1:2011